


19" HYPERline Series

Free Standing Cabinets

Width: 600 mm
Depth: 800 mm




Part Definition	Material Quality	Material Thickness (mm)	Shipment Configuration
Top Bottom Case	DIN EN 10130-DC-01-6112 CRS	1,2 mm	2
Glass Door	EN 12150-1 Tempered Secure Glass	4 mm	1
19" Equipment Mounting Rails	DIN EN 10130-DC-01-6112 CRS	1,5 mm	4
Side and Rear Panels	DIN EN 10130-DC-01-6112 CRS	0,8 mm	3
Side Horizontal Support Bars	DIN EN 10130-DC-01-6112 CRS	1,2 mm	2
Corner Profiles (Cabinet Frame and Long Profiles On Sides)	DIN EN 10130-DC-01-6112 CRS	1,2 mm	2

Metal door (A) and perforated metal door (C) options with 1,2 mm material thickness.
4 mm thick EN 12150-1 compatible tempered glass door option (B) with 1,2 mm thick metal side frame.

19" HYPERline Series

Free Standing Cabinets

Width: 600 mm
Depth: 800 mm



HYPERline Series - Free Standing 19" Cabinets W600 mm x D800 mm

Product Number	Series	Description	Dimensions WxDxH	QTY in Package	*H mm, overall without feet and/or castor, plinth
LN-HL12U6080-CC-(A/B/C)	HYPERline Series	12U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x677	1	647
LN-HL16U6080-CC-(A/B/C)	HYPERline Series	16U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x855	1	825
LN-HL20U6080-CC-(A/B/C)	HYPERline Series	20U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x1033	1	1003
LN-HL22U6080-CC-(A/B/C)	HYPERline Series	22U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x1121	1	1081
LN-HL26U6080-CC-(A/B/C)	HYPERline Series	26U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x1299	1	1269
LN-HL32U6080-CC-(A/B/C)	HYPERline Series	32U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x1566	1	1536
LN-HL36U6080-CC-(A/B/C)	HYPERline Series	36U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x1744	1	1714
LN-HL42U6080-CC-(A/B/C)	HYPERline Series	42U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x2010	1	1980
LN-HL47U6080-CC-(A/B/C)	HYPERline Series	47U 19" Free Standing Cabinets W=600 mm D=800 mm	600x800x2232	1	2202

General Informations


Flat pack / Assembled delivery	HYPERline Series designed for minimized disassembled flat - packed shipments for superior logistics advantages and cost savings. Lande sales representatives should be informed in case the order is assembled, otherwise the order would be sent as flat-packed.
Color selection	CC= Color Code please define while ordering the color code as LG Light Grey RAL 7035, BL Black RAL 9005.

19" HYPERline Series

Free Standing Cabinets

Exploded View

Width: 600 mm
Depth: 800 mm




19" HYPERline Series

Free Standing Cabinets

Exploded View Options

Width: 600 mm
Depth: 800 mm



A/B/C Configurations in Product Number

Metal door - A configuration for W600 mm	Metal front door with external hinge mechanism and swinghandle single point cylinder lock. Metal rear panel with quarter turn lock.
Glass door - B configuration for W600 mm	Glass front door with external hinge mechanism and swinghandle single point cylinder lock. Metal rear panel with quarter turn lock.
Perforated door - C configuration for W600 mm	Perforated metal front door with external hinge mechanism and swinghandle single point cylinder lock. Perforated metal rear panel with quarter turn lock.